KOBELCO

SK10SR-2E

SK10SR



Complies with the EU Stage V exhaust emission regulation

Built for Perfectionists

Full-Scale Performance in Compact Size




JAPANESE QUALITY

For residential areas and industrial premises, you need a machine that can maneuver and swing within a compact radius. The SK10SR is designed to do just that, with smooth, powerful control, and great stability. Though small in size, it gives you all of the performance and durability you expect, and gets the job done fast!

Great Performance in Tight Places

Wide Working Range

The SK10SR has plenty of working ranges.



Boom Swing Angle

The boom swing angles of 80 degrees to the left and 50 degrees to the right for optimized performance when digging pipeline ditches and side walls.

Reliable Swing Power, Faster Working Speeds

Boosted swing power and a top-class swing speed deliver shorter cycle times.

Swing Speed:	9.0 min^{-1}

Powerful Digging

For more efficient work performance.

Max. Arm Crowding Force:	6.2 kN
Max. Bucket Digging Force:	10.8 kN

Service Valve Provided as Standard

Service valve installed with control valves as standard, for easy switching to N&B and similar attachments.

Easy Transportability

30° Dozer Approach Angle

Dozer can be raised up to 30° allowing straightforward self-drive up a ramp onto a truck for transportation.

Lifting Eyes Enhance Safety

Lifting eyes provided in 3 locations for safer, easier loading/unloading using a crane.



1 on each side of dozer blade



1 on boom

Comfortable Work Environment



Broader floor space gives operators plenty of foot room. Wide operational space is provided with more room between the left and right control consoles

Side Levers for Easy Control

Side lever operating style is the same as bigger machines, for relaxed and comfortable control. Hydraulic pilot makes control levers lighter, and sensitive response makes inching work easy.

Lever Control Delivers Smooth Starts

Control valves are tuned to make each type of action as smooth as possible. Hydraulic flow initially limited for a smoother start-up.

Excellent Dozer Inching Control

Dozer inching control provides for precise ground leveling.



Pass-through

A clear left-to-right pass-through offers greater convenience for the operator.



Wrist Rest

Wrist rests fitted on the each control lever box ensure fatigue free operation.

Safety

ROPS & TOPS Roll Bar

The standard roll bar feature complies with ROPS & TOPS specifications.



Travel Alarm



Warning alarm for nearby personnel sounds during travel.

Safety Lever Lock

